## **EAST Search History**

## **EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(multipliers) near3 (encrypt\$) with product with (discrete adj log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 15:26
L2	О	(multiplier) near3 (encrypt\$) with product with (discrete adj log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 15:26
L3	0	(multiplier) near3 (encrypt\$) with (discrete adj log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 15:27
L4	1	(first adj (data value)) near3 (encrypt\$) with (discrete adj log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 15:27
L5	43	((data value)) near3 (encrypt\$) with (discrete adj log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 15:28
L8	3	((data value parameter)) near3 (encrypt\$) with (discrete adj log) and (multiparty (multi\$5 near1 part \$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 15:38
L9	11	((data value parameter)) near3 (encrypt\$) with (discrete adj log) and (multiparty ((multi\$5 several plural\$3) near2 part \$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 15:39

L10	32	L5 not L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 16:16
L11	1	((data value parameter)) near3 (encrypt\$) with (discrete adj log) and (elgamal near2 blind\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 17:26
L12	1	((data value parameter)) near3 (encrypt\$) with (discrete adj log) and (elgamal with blind\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 17:26
L13	1	((data value parameter)) near3 (encrypt\$) same (discrete adj log) and (elgamal with blind\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 17:26
L14	45	((data value parameter)) near3 (encrypt\$) same (discrete adj log)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 17:26
L16	2	L14 not L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 17:27
L17	0	((data value parameter)) near3 (encrypt\$) and (discrete adj log) and (elgamal with blind\$3) and (380/44,283.ccls. 713/168,171.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 17:49
L18	1	((data value parameter)) near3 (encrypt\$) and (discrete adj log) and (elgamal with blind\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 17:49

L19	7	(encrypt\$) and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 17:49
L20	3	((plural\$3 several multi\$5) near2 (party parties)) near2 (multiplication product) near2 protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/13 17:51

## **EAST Search History (Interference)**

< This search history is empty>

8/ 13/ 09 7:12:35 PM H:\ 10577757\_multipartykeyagreement.wsp